

Rec'd PCT/PTO 21 APR 2005

10/50037



INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

|                   |     |
|-------------------|-----|
| REC'D 13 NOV 2003 |     |
| WFO               | PCT |

13/03/4702

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed *JEvens.*

Dated 28 October 2003

**PRIORITY DOCUMENT**  
SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH  
RULE 17.1(a) OR (b)

**BEST AVAILABLE COPY**

## Patents Form 1/77

Patents Act 1977  
(Rule 10)

THE PATENT OFFICE

A

25 OCT. 2002

RECEIVED BY FAX

The  
Patent  
Office25OCT02 E758634-1 D02824  
P01/7700 0.00-0224861.5

The Patent Office

Cardiff Road  
Newport  
SOUTH WALES NP10 8QQ

## Request for grant of a patent

(See the notes on the back of this form. You can also get  
an explanatory leaflet from the Patent Office to help you  
fill in this form).

## 1. Your Reference

P.5958 GBA

## 2. Patent application number

(The Patent Office will fill in this part)

0224861.5

25 OCT 2002

3. Full name, address and postcode of the or of  
each applicant (underline all surnames)

WATERLEAF LIMITED

Victoria House  
26 Victoria Street  
Douglas  
ISLE OF MAN  
IM1 2LE, G.B.

Patents ADP number (if you know it)

If the applicant is a corporate body, give the  
country/state of its incorporation

ISLE OF MAN

## 4. Title of the invention

SIGNALLING

## 5. Name of your agent (if you have one)

"Address for service" in the United Kingdom  
to which all correspondence should be sent  
(including the postcode)MAGUIRE BOSS  
5 Crown Street  
St. Ives  
Cambridgeshire  
PE27 5BB, G.B.

Patents ADP number (if you know it)

07188725001

6. If you are declaring priority from one or more  
earlier patent applications, give the country  
and the date of filing of the or of each of these  
earlier applications and (if you know it) the or  
each application number

Country

Priority application number  
(if you know it)Date of filing  
(day/month/year)7. If this application is divided or otherwise  
derived from an earlier UK application,  
give the number and the filing date of  
the earlier application

Number of earlier application

Date of filing  
(day/month/year)8. Is a statement of inventorship and of right  
to grant of a patent required in support of  
this request? (Answer 'Yes' if:  
a) any applicants named in part 3 is not an inventor, or  
b) there is an inventor who is not named as an  
applicant, or  
c) any named applicant is a corporate body.)  
See note (d)

Yes

Patents Form 1/77

**Patents Form 1/77**

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 11

Claims(s)

Abstract

Drawing(s) 3

only 1/77

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

Date: 25.10.02

Maguire Boss

MAGUIRE BOSS

12. Name and daytime telephone number of person to contact in the United Kingdom

P.J. EVENS

Tel: 01480 301588

**Warning**

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

**Notes**

a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.

b) Write your answers in capital letters using black ink or you may type them.

c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.

d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.

e) Once you have filled in the form you must remember to sign and date it.

f) For details of the fee and ways to pay please contact the Patent Office.

5

**SIGNALLING**10 **FIELD OF THE INVENTION**

This invention relates to a signalling system and, more particularly, to a signalling system that can be used in conjunction with a multiplayer online game. The invention extends to a signalling method for use in conjunction with  
15 a multiplayer online game.

**BACKGROUND TO THE INVENTION**

The advent of online portals such as CompuServe, Prodigy, America Online  
20 ("AOL") and the subsequent emergence of the Internet as a public communication channel have led to an explosion of on-line multiplayer games. A common feature of such games is that participants in such games are remote from each other and not in direct communication with each other. Each participant in the game monitors the progress of each turn of the game  
25 and the actions of the other players on a corresponding player terminal, usually incorporating a display screen.

One example of such an online multiplayer game is that of poker, which is nominally a zero-sum game insofar as, in each turn of the game, a gain of a  
30 winner is equal to accumulated losses of the other players in the game. It is, however, also known for a party who arranges or hosts a game of poker to levy a commission ("a rake") on the cumulative amount wagered in the turn of the game, in order to obtain revenue.

35 A characteristic of such online multiplayer games is that a turn of the game usually involves one or more game-play decisions that must be taken by each

5 player, in turn. Where the participants in the game are remote from each other, it is possible that a single player may inadvertently hold up progress of the turn of the game by failing to timeously take a required game play decision. Such a circumstance may arise because a player may not be aware that he is holding up progress of the game and that he needs to make a game  
10 play decision.

The problem is exacerbated in a game of poker, where game play decisions to be made by a player can be quite complex.

## 15 OBJECT OF THE INVENTION

It is an object of this invention to provide a signalling system and a method of signalling that will, at least partially, alleviate the abovementioned difficulties and disadvantages.

20

## SUMMARY OF THE INVENTION

In accordance with this invention there is provided a signalling system, comprising:

- 25 a gaming server operable under program control to regulate progress of a multiplayer game playable by a plurality of participating players, in accordance with game play decisions made by each one of the participating players;
- a user terminal corresponding to each player, each user terminal being operable by the player to access the gaming server along a communication  
30 channel; and
- a display facility associated with each user terminal, the display facility being responsive to the gaming server to display an indicium representative of a status of the player's participation in the game, the status being a pending state where the player is required to make a game play decision, and a  
35 completed state where the player is not required to make a game play decision.

- 5 Further features of the invention provide for the display facility to be responsive to the gaming server to display, for each user terminal, a plurality of indicia, each indicium being representative of a status of a corresponding one of the plurality of players participating in the game, for the display facility to be a display monitor associated with the user terminal, for the indicium to be a graphic icon displayable on the display monitor, for the graphic icon to represent the status of the player's participation in the game by a colour, for the pending state to be represented by a red colour, and for the completed state to be represented by a green colour.
- 10
- 15 Still further features of the invention provide for each indicium to have a corresponding identification means for identifying a participating player whose participation status in the game is indicated by that indicium, and for the identification means to be a nameplate.
- 20 Yet further features of the invention provide for the multiplayer game to be a casino game, for the casino game to be an online casino game, and for the online casino game to be a game of poker.

- The invention extends to a method of signalling, comprising the steps of:
- 25 regulating progress of a multiplayer game playable by a plurality of participating players, in accordance with game play decisions made by each one of the participating players;
- accessing the gaming server from a user terminal, along a communication channel;
- 30 Displaying, on a display facility associated with the user terminal, an indicium representative of a status of a player's participation in the game, the status being a pending state where the player is required to make a game play decision, and a completed state where the player is not required to make a game play decision.

- 5 There is further provided for displaying, to each participating player, a plurality of indicia, each indicium being representative of a status of a corresponding one of the plurality of players participating in the game, for displaying any indicium as a graphic icon on a display monitor, for representing the status of the player's participation in the game by means of a colour of the graphic icon, 10 for representing the pending state by means of a red colour, and for representing the completed state by means of a green colour.

- There is still further provided for identifying each one of the participating players by identifying that player's associated graphic icon, and for identifying 15 a graphic icon by means of a corresponding nameplate.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

- 20 One embodiment of the invention is described below, by way of example only, and with reference to the abovementioned drawings, in which:

Figure 1 is a schematic representation of a signalling system, according to the invention;

25

Figure 2 is a schematic representation of a Graphical User Interface of the signalling system of Figure 1; and

Figure 3 is an example of the Graphical User Interface of Figure 2.

30

#### **DETAILED DESCRIPTION OF THE INVENTION**

- This embodiment of the invention will be described with particular reference to a system for playing a game of multiplayer poker. It is to be clearly 35 understood, however, that the scope of the invention is not limited to this particular application.

5 Referring to Figure 1, a system for playing a game of online poker is indicated generally by reference numeral (1). The system (1) includes a gaming server (2), and a portal (not shown) in the form of an online casino website on the World Wide Web of the Internet. In this embodiment, the online casino website (not shown) is hosted on a casino web server (3). The casino website  
10 (not shown) is accessible by a plurality of poker players (not shown), each one through a separate user terminal (4) in the form of an Internet-enabled computer workstation having a display monitor (5) and an associated pointing device (20), such as a mouse or, alternatively, a touchpad. In this  
15 embodiment, casino website is shown as being accessible by players at two different computer workstations (4) logically connected thereto. It will be appreciated by those skilled in the art that such an on-line casino website can be logically connected to any desired number of such computer workstations (4) simultaneously, which number is physically limited only by considerations of processing power and Internet access bandwidth.

20

The gaming server (2), the online casino web server (3) hosting the online casino website, and the computer workstations (4) are capable of communicating with each other by means of an open communication channel that is, in this embodiment, the World Wide Web of the Internet. Although the  
25 World Wide Web of the Internet is a single packet-switched communication network, it is represented in Figure 1 as separate logical communication channels (6, 7 and 8).

The gaming server (2) operates under control of a stored program capable of  
30 enabling a predetermined maximum number, say 8 or 10, of players to play an instance of the game of online poker. When the number of players reaches this predetermined maximum number, the stored program causes a further instance of the game to be initiated, the new instance of the game also being capable of accommodating a further 8 or 10 players. In this manner the  
35 gaming server (2) is capable, under stored program control, to spawn as many separate instances of the game as required in order to accommodate a



- 5 pool of players who desire to play the game, in groups of a maximum of 8. Each instance of the game spawned in this manner is treated as totally independent of the other instances. For convenience, this specification will only discuss a single instance of the game.
- 10 The online casino website enables a player desiring to join the game to request, by means of one of the computer workstations (4), participation in the game and, once admitted to an instance of the game, to place a wager on a turn of that instance of the game. Each participating player is presented with an identical graphical user interface (GUI) on his respective computer
- 15 workstation (4) by the stored program in the gaming server (2). The GUI presents to the player a suitable display of a poker game (not shown) with appropriate icons that enable the player to make his own desired game play decisions and to monitor the progress of the game by viewing the game play decisions of the other participating players in the same instance of the game.
- 20 The GUI includes a signalling system (10) that is operable to alert the player when he, or any other player participating in the instance of the game, is due to make a game play decision.

- In order to describe the operation of the signalling system (10), the rules of the
- 25 game of multiplayer poker will now be described briefly. In a turn of the game, one of the players assumes the role of a dealer and deals five cards (an "initial hand"), from a conventional deck of 52 playing cards, to each participating player, inclusive of the dealer. The playing cards in the initial hand are dealt face down to each player who does not, at this stage of the
- 30 game, disclose the playing cards that have been dealt to him.

- Each one of the players is then required to decide, in turn, whether to continue with his participation in the turn of the game (that is, to "play"), or to terminate his participation in the turn (that is, to "fold"), as a function of the playing cards
- 35 in his initial hand. Any player who decides to fold does not participate any longer in the turn of the game. The first player to decide to play is required to

5 make an opening wager on the turn of the game. Any other player who subsequently also decides to play in the turn of the game is required to match or to increase ("raise") the size of the opening wager. When the size of the opening wager is raised, players who have made or matched prior opening wagers are required to top up their wagers to match the size of the largest opening wager made by any player who has elected to play in the turn of the game. This phase of the turn of the game continues until every player who desires to play in that turn has wagered an equal amount.

15 All the wagers made by each of the players are accumulated in a single jackpot ("the pot").

At this stage of the game, each player who has decided to play may, in turn, then decide to replace (that is, to "discard") any one or more of the five cards in his initial hand. Once a player has decided which, if any, of the five cards to discard, the player may then "draw", in which the discards of the initial hand are replaced by an equivalent number of further cards dealt by the dealer from the deck of playing cards. This phase of the game will be referred to, for convenience, as the drawing phase. If the player discards all of the cards in his initial hand, he is then effectively dealt an entirely new hand of five cards at the drawing phase. On the other hand, if a particular player retains ("holds") all of the five cards in his initial hand, he does not participate in the drawing phase, but still continues to play in the turn of the game.

Once the drawing phase has been completed, each player evaluates the five cards that he has accumulated in the manner described above in order to determine whether they contain any one of a number of desirable combinations of playing cards. The desirability of any combination of playing cards is inversely proportional to the probability of being dealt that particular combination of cards. The various desirable combinations of playing cards are not relevant to the invention and will not be described here in detail.

- 5 After completion of the drawing phase of the turn of the game and evaluation of the playing cards, the players who have previously decided to play in the particular turn of the game are then again required to decide, in turn, as a function of the playing cards they have accumulated in the manner described above, whether to continue playing or to fold. Any player who decides to fold  
10 does not participate any further in the particular turn of the game and forfeits all the wagers he has made in that turn. The first player to make an opening wager, if he decides to play, may make a supplementary wager on the turn of the game. Any other player who subsequently also decides to play is required to match or to raise the size of the supplementary wager. Players who have  
15 previously made supplementary wagers are required to top up their supplementary wagers to match the size of the largest supplementary wager. This phase of the particular turn of the game continues until every player who had decided to continue playing has made an equivalent supplementary wager. This stage of the game will be referred to, for convenience, as the  
20 supplementary wagering stage.

The supplementary wagers made by each of the players who have decided to continue playing in the particular turn of the game are added to the pot.

- 25 Once the supplementary wagering stage of the turn of the game has been completed, the players who remain in the game reveal the playing cards in their hands. The hands are compared, and the player with the highest-ranking desirable hand wins the accumulated jackpot.
- 30 The rules of the game of poker have been described with particular reference to a variation of the game called "draw poker". There are many other variations of the game of poker, the rules of which are not germane to the essence of the invention and that will not, for this reason, be described here in detail. The invention, however, also applies equally to these variations.
- 35

5 It will be appreciated by those skilled in the art that each participating player in the game is required to make a number of different game play decisions during each turn of the game. The possible game play decisions include a decision as to whether to play or to fold, a decision as to an appropriate size of an opening wager, a decision as to whether or not to raise a previous  
10 wager by another participating player, and an appropriate size of a raise wager. It will be further appreciated that, due to the sequential nature of the game, any player who delays in making a required game play decision will hold up the progress of the game. As the participating players are remote from each other and not in direct communication with each other, it is necessary to  
15 provide a mechanism to alert each one of the participating players of an outstanding game play decision and to allow them to follow the progress of the game.

The signalling system (10) consists of a plurality of indicia (11) in the form of  
20 icons displayed on the GUI of each player, a separate icon for each participating player in the instance of the game. Each icon (11) is in the shape of a rectangular outline and represents the status of the corresponding player's participation in the game. The status is represented by means of a colour of the rectangular outline. The status of the player's participation in the  
25 game is a pending state when the player has an outstanding game play decision to make, and a completed state where the player has no outstanding game play decision to make. The pending state is represented by a rectangular outline in red, while the completed state is displayed by a green rectangular outline.

30

Each icon (11) also displays information about the corresponding player's last game play decision in the turn of the game. In addition, each player's bankroll is displayed within the borders of the rectangular outline of that player's icon (11). Further, any particular player whose turn it is to make a game play  
35 decision is prompted to do so by means of a slider bar displayed within the borders of the rectangular outline of that player's icon (11). The slider bar

- 5 display, which is well known in the art, and which will not be described here in detail, provides an indication to the player as to how much time remains within which to make the required game play decisions and avoid occurrence of a time out event. Information is displayed within the borders of the rectangular outline of the icon (11) as white text against a blue background. Each
- 10 participating player is identified by a corresponding name (12) that can be the player's real name or a pseudonym selected by the player upon entering the instance of the game. The player's actual or assumed name is displayed within the borders of the rectangular outline of that player's icon (11).
- 15 Where the instance of the game is being played with one or more unoccupied playing positions, each such position is indicated on the GUI by appropriate black text against a white background, without a corresponding rectangular outline (11).
- 20 The GUI includes a scrollable window (not shown) in which a chronological log of each game event and each game play decision by the players in the current and previous turns of the game is displayed.
- 25 It will be appreciated by those skilled in the art that the system (1) provides a facility for pooling players from the casino website (not shown) to enable them to participate in the game of poker. Prior art systems which enable players to play multi-player games such as poker operate within the context of a single online casino and establish these games by utilising players from that casino only. This has undesirable consequences as the pool of potential players is
- 30 limited to clients of that particular casino, and a considerable time may be required for a sufficient number of players to be gathered before a game can get underway, leading to player frustration and a high player attrition rate. The present invention can also establish a game with players drawn from a multiplicity of different online casinos, that is, from a larger pool of potential
- 35 players, leading to the establishment of a poker game in a reduced time. Further, an established instance of a poker game according to the invention is

- 5 likely to last longer than a game established under a prior art system, as there is a larger pool of available players from which replacements can be drawn to replace participating players who leave the instance of the game.

- 10 The technical problem solved by the invention is that of providing a means for efficient information between players in a multiplayer online game. The signalling system encourages players to minimise delay, thereby ensuring that the multiplayer online game progresses without undue delay. Any participating player is able to see at a glance when there is an outstanding game play decision that he is required to make. The invention also assists participating  
15 players in the game to maintain an overview of game play decisions made by each of the players in any turn of the game.

- Numerous modifications are possible to this invention without departing from the scope of the invention. In particular, the signalling system (10) may be  
20 applied to any multiplayer online game, whether requiring players to place wagers on the game, or not. Examples of such games are backgammon, bridge, gin rummy, canasta, whist or mah-jong. Further, a different form of icon (4) other than a rectangular outline may be used to provide notification to a player. Additionally, a different characteristic of the icon (4), other than  
25 colour, such as size or shape, can be used to indicate the pending and completed states of the player's participation in the turn of the game.

- The invention therefore provides a novel system and method for inter-player signalling in an online multiplayer game.  
30




Figure 1




Figure 2






Figure 3

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**